



FORTACERO



**PRODUCT
CATALOG**



www.fortacero.com/en/

Our goal is to maintain optimal stock levels and guarantee on-time delivery for all our products.

Fortacero operates 21 locations across Mexico and holds over 250,000 tons of steel in stock.



Fortacero® delivers top-tier steel solutions to become your preferred supplier.

In the following pages, you will find over 1,500 different products we keep readily available in stock.

21 LOCATIONS



1. Monterrey (HQ)
2. Plant Mexico
3. Guadalajara
4. Laguna
5. Saltillo
6. León
7. Querétaro
8. Veracruz
9. Tijuana
10. San Luis Potosí
11. Mexicali
12. Hermosillo
13. Mexico
14. Mexico 2
15. Puebla
16. Culiacán
17. Chihuahua
18. Mérida
19. Aguascalientes
20. Oaxaca
21. Toluca


Index

Square Tube.....	04
Heavy Square Tube	05
Light Rectangular Tube.....	06
Heavy Rectangular Tube.....	07
Purlins C.....	08
Angles.....	09
Slitter Flat Bar	10
Mill Flat Bar.....	11
HSS.....	12
Square Bar/ Round Bar	13
WFB	14-15
C- Channel	16
Floor Plates.....	17
Steel Plates.....	18-19
Hot Rolled Sheet / Pickled Sheet.....	20
Cold Rolled Sheet	21
Temper Plates.....	22-23
Decoiled Plates.....	24-25
Galvanized Deck.....	26
Steel Decks	27-28
Steel Bar Grating	29
List of Services	31
Infrastructure.....	32

SQUARE TUBE

Size	Gauge	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm	Pieces per Bundle	Weight per Bundle
1/2" x 1/2"	16	20	0.39	7.70	A513	192	1,478
	16	24	0.39	9.24	A513	192	1,774
3/4" x 3/4"	14	24	0.75	18.07	A513	121	2,187
	16	24	0.61	14.54	A513	121	1,760
1" x 1"	11	24	1.44	34.56	A500	100	3,456
	14	20	0.94	18.70	A513	100	1,870
	14	24	0.94	22.45	A513	100	2,245
	16	24	0.83	19.85	A513	100	1,985
1 1/4" x 1 1/4"	14	20	1.19	23.80	A513	100	2,380
	14	24	1.19	28.56	A513	100	2,856
	16	24	1.05	25.15	A513	100	2,515
1 1/2" x 1 1/2"	11	20	2.25	45.04	A500	50	2,252
	11	24	2.25	54.05	A500	50	2,702
	14	20	1.45	28.92	A513	50	1,446
	14	24	1.45	34.70	A513	50	1,735
	24	24	1.27	30.46	A513	50	1,523
2" x 2"	11	20	3.06	61.20	A500	49	2,999
	11	24	3.06	73.44	A500	49	3,599
	11	24	3.06	73.44	A500	49	3,599
	14	20	1.95	39.04	A513	49	1,913
	14	24	1.95	46.84	A513	49	2,295
	16	24	1.71	41.04	A513	49	2,011
2 1/2" x 2 1/2"	14	24	2.73	65.52	A513	42	2,752
3" x 3"	11	20	4.75	95.00	A500	36	3,420
	11	24	4.75	114.00	A500	36	4,104
	14	20	2.93	58.55	A513	36	2,108
	14	24	2.93	70.26	A513	36	2,530
3 1/2" x 3 1/2"	11	24	5.61	134.64	A500	25	4,847
4" x 4"	9	24	7.66	183.79	A500	20	4,595
	11	20	6.46	129.20	A500	20	2,584
	11	24	6.46	155.04	A500	20	3,101
	14	20	3.90	78.07	A513	20	1,561
	14	24	3.90	93.69	A513	20	1,874

SQUARE TUBE






HEAVY SQUARE TUBE

Size	Thickness	Length	Weight Lbs/Ft	Weight per Piece (Lbs)	Norm	Pieces per Bundle	Weight per Bundle
2" x 2"	0.187"	20	4.32	86.40	A500	36	3,110
	0.187"	40	4.32	172.80	A500	25	4,320
	0.187"	48	4.32	207.36	A500	24	4,977
	0.250"	20	5.41	108.20	A500	36	3,895
	0.250"	24	5.41	129.84	A500	36	4,674
	0.250"	40	5.41	216.40	A500	25	5,410
2 1/2" x 2 1/2"	0.187"	20	5.59	111.80	A500	36	4,025
	0.250"	24	7.11	170.64	A500	36	6,143
3" x 3"	0.187"	20	6.87	137.40	A500	25	3,435
	0.187"	24	6.87	164.88	A500	25	4,122
	0.187"	40	6.87	274.80	A500	20	5,496
	0.187"	48	6.87	329.76	A500	20	6,595
	0.250"	20	8.81	176.20	A500	25	4,405
	0.250"	24	8.81	211.44	A500	25	5,286
	0.250"	40	8.81	352.40	A500	20	7,048
	0.250"	48	8.81	422.88	A500	12	5,075
3 1/2" x 3 1/2"	0.250"	20	10.51	210.20	A500	36	7,567
	0.250"	40	10.51	420.40	A500	20	8,408
4" X 4"	0.187"	20	9.42	188.40	A500	20	3,768
	0.187"	24	9.42	226.08	A500	25	5,652
	0.187"	40	9.42	376.80	A500	20	7,536
	0.187"	48	9.42	452.16	A500	20	9,043
	0.250"	20	12.21	244.20	A500	16	3,907
	0.250"	24	12.21	293.04	A500	16	4,689
	0.250"	40	12.21	488.40	A500	16	7,814
	0.250"	48	12.21	586.08	A500	16	9,377
5" X 5"	0.187"	20	11.97	239.40	A500	16	3,830
	0.187"	40	11.97	478.80	A500	16	7,661
	0.250"	20	15.62	312.40	A500	12	3,749
	0.250"	24	15.62	374.88	A500	12	4,499
	0.250"	40	15.62	624.80	A500	12	7,498
	0.250"	48	15.62	749.76	A500	12	8,997

RECTANGULAR TUBE



LIGHT REC TUBE

Size	Gauge	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm	Pieces per Bundle	Weight per Bundle
2" x 1"	14	20	1.60	32.00	A513	80	2560
	14	24	1.60	38.40	A513	80	3072
	11	20	2.25	45.04	A513	50	2252
	11	24	2.25	54.05	A513	50	2702
5" x 2"	11	20	3.90	78.00	A500	42	3276
	11	24	3.90	93.60	A513	42	3931
	14	24	2.73	65.47	A513	49	3208
5" x 3"	14	20	3.29	65.86	A513	40	2634
	14	24	3.29	79.03	A513	40	3161
	11	20	4.75	95.00	A500	32	3040
	11	24	4.75	114.00	A500	32	3648
6" x 2"	11	24	6.46	155.04	A500	16	2481
	11	40	6.46	258.40	A500	16	4134
	14	24	3.95	94.80	A513	16	1517

RECTANGULAR TUBE



HEAVY REC TUBE

Size	Thickness	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm	Pieces per Bundle	Weight per Bundle
3" x 2"	0.187"	20	5.59	111.80	A500	25	2,795
	0.187"	48	5.59	268.32	A500	24	6,440
	0.250"	20	7.11	142.20	A500	25	3,555
4" x 2"	0.187"	24	6.87	164.88	A500	24	3,957
	0.187"	20	6.87	137.40	A500	20	2,748
	0.250"	20	8.81	176.20	A500	20	3,524
	0.250"	24	8.81	211.44	A500	24	5,075
	0.250"	48	8.81	422.88	A500	48	20,298
4" x 3"	0.187"	48	8.15	391.20	A500	15	5,868
	0.250"	20	10.51	210.20	A500	25	5,255
	0.250"	40	10.51	420.40	A500	16	6,726
	0.250"	48	10.51	504.48	A500	12	6,054
5" x 3"	0.187"	20	9.42	188.40	A500	24	4,522
	0.187"	40	9.42	376.80	A500	20	7,536
	0.250"	20	12.21	244.20	A500	18	4,396
	0.250"	40	12.21	488.40	A500	18	8,791
6" x 2"	0.187"	20	9.42	188.40	A500	16	3,014
	0.187"	24	9.42	226.08	A500	16	3,617
	0.187"	40	9.42	376.80	A500	16	6,029
	0.250"	20	12.21	244.20	A500	16	3,907
	0.250"	40	12.21	488.40	A500	16	7,814
6" x 4"	0.187"	20	11.97	239.40	A500	20	4,788
	0.187"	40	11.97	478.80	A500	16	7,661
	0.250"	20	15.62	312.40	A500	12	3,749
	0.250"	40	15.62	624.80	A500	12	7,498

PURLINS “C”



Size	Gauge	Length ft	Weight Lbs / Ft	Weight Per Piece (Lbs)	Norm	Pieces per Bundle	Weight per Bundle
3" x 1.5"	14	20	1.63	32.54	A-36	60	1952.4
	14	25	1.63	40.68	A-36	60	2440.5
	14	30	1.63	48.81	A-36	60	2928.6
4" x 1.5"	14	20	1.91	38.20	A-36	48	1833.6
	14	25	1.91	47.75	A-36	48	2292.0
	14	30	1.91	57.30	A-36	48	2750.4
4" x 2"	14	20	2.18	43.60	A-36	48	2092.8
	14	25	2.18	54.50	A-36	48	2616.0
	14	30	2.18	65.40	A-36	48	3139.2
6" x 2"	14	20	2.63	52.58	A-36	48	2523.8
	14	25	2.63	65.73	A-36	48	3154.8
	14	30	2.63	78.87	A-36	48	3785.8
8" x 2.5"	14	20	3.37	67.38	A-36	48	3234.2
	14	25	3.37	84.23	A-36	48	4042.8
	14	30	3.37	101.07	A-36	48	4851.4
10" x 2.75"	14	20	4.02	80.38	A-36	20	1607.6
	14	25	4.02	100.48	A-36	20	2009.5
	14	30	4.02	120.57	A-36	20	2411.4
12" x 3.5"	14	20	5.15	102.96	A-36	20	2059.2
	14	25	5.15	128.70	A-36	20	2574.0
	14	30	5.15	154.44	A-36	20	3088.8

● Red Oxide Purlins


ANGLES

Size	Thickness	Length	Weight Lbs/Ft	Weight per Piece (Lbs)	Norm	Pieces per Bundle	Weight per Bundle
3/4" x 3/4"	1/8"	20	0.59	11.80	A36	400	4,720
1" x 1"	.109"	20	0.71	14.20	A36	323	4587
	.109"	40	0.71	28.40	A572°50	170	4828
	1/8"	20	0.80	16.00	A36	289	4624
	3/16	20	1.16	23.20	A36	204	4733
	1/4"	20	1.49	29.80	A36	153	4559
1 1/4" x 1 1/4"	1/8"	20	1.01	20.20	A36	234	4727
	3/16	20	1.48	29.60	A36	156	4618
	1/4"	20	1.92	38.40	A36	117	4493
1 1/2" x 1 1/2"	1/8	20	1.23	24.60	A36	187	4600
	1/8	40	1.23	49.20	A572°50	187	9200
	3/16	20	1.80	36.00	A36	132	4752
	1/4	20	2.34	46.80	A36	99	4633
1 3/4" x 1 3/4"	1/8	40	1.44	57.60	A572°50	80	4608
	3/16	20	2.12	42.40	A36	110	4664
	3/16	40	2.12	84.80	A572°50	55	4664
2" x 2"	1/8	20	1.65	33.00	A36	140	4620
	1/8	40	1.65	66.00	A572°50	70	4620
	3/16	20	2.44	48.80	A36	91	4441
	1/4	20	3.19	63.80	A36	70	4466
	1/4	40	3.19	127.60	A572°50	35	4466
	3/8	20	4.70	94.00	A36	49	4606
2" x 3"	1/4	20	4.10	82.00	A36	55	4510
2 1/2" x 2 1/2"	3/8	20	5.90	118.00	A36	40	4675
3" X 3"	3/16	20	3.71	74.20	A36	63	4675
	3/16	40	3.71	148.40	A572°50	33	4897
	1/4	20	4.90	98.00	A36	47	4606
	5/16	20	6.10	122.00	A36	38	4636
	5/16	40	6.10	244.00	A572°50	20	4880
	3/8	20	7.20	144.00	A36	32	4608
	3/8	40	7.20	288.00	A572°50	16	4608
	1/2	20	9.40	188.00	A36	25	4700
3 1/2" X 3 1/2"	1/4	20	5.80	116.00	A572°50	40	4640
4" X 4"	1/4	20	6.60	132.00	A36	35	4620
	5/16	20	8.20	164.00	A36	28	4592
	3/8	20	9.80	196.00	A36	24	4704
	7/16	40	11.30	452.00	A572°50	10	4520
	1/2	20	12.80	256.00	A36	18	4608
	5/8	20	15.70	314.00	A36	15	4710
4" X 6"	3/8	20	12.30	246.00	A36	18	4428
	1/2	20	16.20	324.00	A36	15	4860
5" X 5"	5/16	20	10.30	206.00	A36	22	4532
	3/8	20	12.30	246.00	A36	18	4428
	3/8	20	12.30	246.00	A572°50	18	4428
	1/2	20	16.20	324.00	A36	14	4536
6" X 6"	3/8	20	14.90	298.00	A36	15	4470
	3/8	20	14.90	298.00	A572°50	15	4470
	7/16	20	17.20	344.00	A572°50	13	4472
	1/2	20	19.60	392.00	A36	12	4704
	5/8	20	24.20	484.00	A36	9	4356
	3/4	40	28.70	1,148.00	A572°50	4	4592
	1	40	37.40	1,496.00	A572°50	3	4488
8" X 8"	9/16	40	29.60	1,184.00	A572°50	4	4736
	1/2	40	26.40	1,056.00	A572°50	4	4224
	5/8	20	32.70	654.00	A36 / A572°50	7	4578
	11/8	40	56.90	2,276.00	A572°50	2	4552
	1	20	51.00	1,020.00	A36 / A572°50	4	4080

FLAT BAR

SLITTER FLAT BAR

Size	Thickness	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm	Pieces per Bundle	Weight per Bundle
1/8	1/2	20	0.21	4.20	A36	770	3234
	3/4	20	0.32	6.45	A36	515	3321
	1	20	0.43	8.60	A36	385	3311
	1 1/4	20	0.53	10.60	A36	310	3286
	1 1/2	20	0.64	12.80	A36	260	3328
	2	20	0.85	17.00	A36	195	3315
	2 1/2	20	1.06	21.20	A36	155	3286
	3	20	1.27	25.40	A36	130	3302
3/16	4	20	1.71	34.20	A36	68	2326
	1/2	20	0.32	6.40	A36	520	3328
	3/4	20	0.48	9.60	A36	350	3360
	1	20	0.64	12.80	A36	260	3328
	1 1/4	20	0.80	16.00	A36	210	3360
	1 1/2	20	0.96	19.20	A36	175	3360
	2	20	1.28	25.60	A36	130	3328
	2 1/2	20	1.59	31.80	A36	105	3339
	3	20	1.90	38.00	A36	90	3420
	4	20	2.55	51.00	A36	65	3315
1/4	6	20	3.81	76.20	A36	45	3429
	8	20	5.10	102.00	A36	35	3670
1/4	1	20	0.85	17.00	A36	259	4403
	2	20	1.70	34.00	A36	100	3400



MILL FLAT BAR

Size	Thickness	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm	Pieces per Bundle	Weight per Bundle
1/4	1/2	20	0.43	8.60	A36	0	0
	3/4	20	0.64	12.80	A36	0	0
	1	20	0.85	17.00	A36	0	0
	1 1/4	20	1.06	21.20	A36	0	0
	1 1/2	20	1.28	25.60	A36	195	4992
	2	20	1.70	34.00	A36	150	5100
	2 1/2	20	2.13	42.60	A36	120	5112
	3	20	2.55	51.00	A36	100	5100
	4	20	3.40	68.00	A36	75	5100
3/8	5	20	4.25	85.00	A36	60	5100
	6	20	5.10	102.00	A36	48	4896
	1	20	1.28	25.60	A36	0	0
	1 1/2	20	1.91	38.20	A36	131	5004
	2	20	2.55	51.00	A36	102	5202
	2 1/2	20	3.19	63.80	A36	80	5104
	3	20	3.83	76.60	A36	68	5208
	4	20	5.10	102.00	A36	48	4896
	5	20	6.83	127.60	A36	40	5104
1/2	6	20	7.65	153.00	A36	32	4896
	6	40	7.65	306.00	A529°50	32	9792
	1	20	1.70	34.00	A36	0	0
	1 1/2	20	2.56	51.20	A36	98	5018
	2	20	3.40	68.00	A36	72	4896
	2 1/2	20	4.25	85.00	A36	60	5100
	3	20	5.10	102.00	A36	48	4896
	4	20	6.80	136.00	A36	48	6528
	5	20	8.50	170.00	A36	30	5100
5/8	6	20	10.20	204.00	A36	24	4896
	3	20	6.38	127.60	A36	40	5104
	4	20	8.50	170.00	A36	30	5100
	5	20	10.63	212.60	A36	24	5102
3/4	6	20	12.75	255.00	A36	20	5100
	1	20	3.83	76.60	A36	0	0
	2	20	5.10	102.00	A36	0	0
	3	20	7.65	153.00	A36	0	0
	4	20	10.20	204.00	A36	24	4896
	5	20	12.75	255.00	A36	20	5100
1	6	20	15.30	306.00	A36	16	4896
	2	20	6.80	136.00	A36	0	0
	3	20	10.20	204.00	A36	24	4896
	4	20	13.60	272.00	A36	0	0
	6	20	20.41	408.20	A36	12	4898



HSS



Size	Thickness	Length	Weight Lbs/Ft	Weight per Piece (Lbs)	Norm	Pieces per Bundle	Weight per Bundle
4" X 4"	.0312	40	14.87	594.80	A500°B	16	9,516.8
	0.375	40	17.29	691.60	A500°B	16	11,065.6
5" X 5"	0.312	40	19.16	766.40	A500°B	9	6,897.6
	0.375	40	22.47	898.80	A500°B	9	8,089.2
6" X 4"	0.312	40	19.16	766.40	A500°B	9	6,897.6
	0.375	40	22.36	894.40	A500°B	9	8,049.6
6" X 6"	0.187	40	14.53	581.20	A500°B	9	5,230.8
	0.25	40	19.06	762.40	A500°B	9	6,861.6
	0.312	40	23.35	934.00	A500°B	9	8,406.0
	0.375	40	27.53	1,101.20	A500°B	9	9,910.8
	0.50	40	35.25	1,410.00	A500°B	6	8,460.0
8" X 4"	0.187	40	14.54	581.60	A500°B	9	5,234.4
	0.25	40	19.06	762.40	A500°B	6	4,574.4
	0.312	40	23.35	934.00	A500°B	6	5,604.0
	0.375	40	27.53	1,101.20	A500°B	9	9,910.8
	0.50	40	35.25	1,410.00	A500°B	6	8,460.0
8" X 6"	0.25	40	22.47	898.80	A500°B	9	8,089.2
	0.375	40	32.60	1,304.00	A500°B	6	7,824.0
8" X 8"	0.187	40	19.61	784.40	A500°B	4	3,137.6
	0.25	40	25.88	1,035.20	A500°B	4	4,140.8
	0.312	40	31.83	1,273.20	A500°B	4	5,092.8
	0.375	40	37.67	1,506.80	A500°B	4	6,027.2
	0.50	40	48.91	1,956.40	A500°B	4	7,825.6
10" X 10"	0.187	40	24.79	991.60	A500°B	4	3,966.4
	0.25	40	32.60	1,304.00	A500°B	4	5,216.0
	0.312	40	40.42	1,616.80	A500°B	4	6,467.2
	0.375	40	47.91	1,916.40	A500°B	4	7,665.6
	0.50	40	62.45	2,498.00	A500°B	4	9,992.0
12" X 8"	0.25	40	32.60	1,304.00	A500°B	1	1,304.0
	0.375	40	47.91	1,916.40	A500°B	1	1,916.4
	0.50	40	62.45	2,498.00	A500°B	1	2,498.0
12" X 12"	0.25	40	39.43	1,577.20	A500°B	1	1,577.2
	0.312	40	48.91	1,956.40	A500°B	1	1,956.4
	0.375	40	58.16	2,326.40	A500°B	1	2,326.4
	0.50	40	76.11	3,044.40	A500°B	1	3,044.4
	0.625	40	93.29	3,731.60	A500°B	1	3,731.6
14" X 14"	0.375	40	68.29	2,731.60	A500°B	1	2,731.6
	0.50	40	89.66	3,586.40	A500°B	1	3,586.4
	0.625	40	110.64	4,425.60	A500°B	1	4,425.6
16" X 16"	0.312	40	65.87	2,634.80	A500°B	1	2,634.8
	0.375	40	78.54	3,141.60	A500°B	1	3,141.6
	0.50	40	103.32	4,132.80	A500°B	1	4,132.8
	0.625	40	127.33	5,093.20	A500°B	1	5,093.2

SQUARE BAR

Size	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm	Pieces per Bundle	Weight per Bundle
3/8"	20	0.48	9.60	A36	480	4,608
1/2"	20	0.85	17.00	A36	270	4,590
5/8"	20	1.33	26.60	A36	166	4,416
3/4"	20	1.91	38.20	A36	120	4,584
1"	20	3.40	68.00	A36	65	4,420
1 1/2"	20	7.65	153.00	A36	30	4,590
2"	20	13.60	272.00	A36	16	4,352

ROUND BAR

Size	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm	Pieces per Bundle	Weight per Bundle
3/8"	20	0.38	7.60	A36	440	3,344
1/2"	20	0.67	13.40	A36	375	5,025
5/8"	20	1.04	20.80	A36	240	4,992
3/4"	20	1.50	30.00	A36	168	5,040
7/8"	20	2.04	40.80	A36	110	4,488
1"	20	2.67	53.40	A36	90	4,806
1 1/4"	20	4.17	83.40	A36	60	5,004
1 1/2"	20	6.01	120.20	A36	36	4,327
1 3/4"	20	8.19	163.80	A36	28	4,586
2"	20	10.69	213.80	A36	21	4,490
2 1/2"	20	16.71	334.20	A36	13	4,345

**SQUARE AND
ROUND BAR**



WIDE FLANGE BEAM



Size	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm	Weight per Bundle
4" x 4"	40	13.00	520.00	A36 / °50 / A992	520.00
5" x 5"	40	16.00	640.00	A36 / °50 / A992	640.00
	40	19.00	760.00	A36 / °50 / A992	760.00
6" x 4"	40	8.00	320.00	A36 / °50 / A992	320.00
	40	9.00	360.00	A36 / °50 / A992	360.00
	40	12.00	480.00	A36 / °50 / A992	480.00
	40	16.00	640.00	A36 / °50 / A992	640.00
6" x 6"	40	15.00	600.00	A36 / °50 / A992	600.00
	40	20.00	800.00	A36 / °50 / A992	800.00
	40	25.00	1000.00	A36 / °50 / A992	1000.00
8" x 4"	40	10.00	400.00	A36 / °50 / A992	400.00
	40	13.00	520.00	A36 / °50 / A992	520.00
	40	15.00	600.00	A36 / °50 / A992	600.00
8" x 5 1/4"	40	18.00	720.00	A36 / °50 / A992	720.00
	40	21.00	840.00	A36 / °50 / A992	840.00
8" x 6 1/4"	40	24.00	960.00	A36 / °50 / A992	960.00
	40	28.00	1,120.00	A36 / °50 / A992	1,120.00
8" x 8"	40	31.00	1,240.00	A36 / °50 / A992	1,240.00
	40	35.00	1,400.00	A36 / °50 / A992	1,400.00
	40	40.00	1,600.00	A36 / °50 / A992	1,600.00
	40	48.00	1,920.00	A36 / °50 / A992	1,920.00
	40	58.00	2,320.00	A36 / °50 / A992	2,320.00
	40	67.00	2,680.00	A36 / °50 / A992	2,680.00
10" x 4"	40	12.00	480.00	A36 / °50 / A992	480.00
	40	15.00	600.00	A36 / °50 / A992	600.00
	40	17.00	680.00	A36 / °50 / A992	680.00
	40	19.00	760.00	A36 / °50 / A992	760.00
10" x 5 3/4"	40	22.00	880.00	A36 / °50 / A992	880.00
	40	26.00	1,040.00	A36 / °50 / A992	1,040.00
	40	30.00	1,200.00	A36 / °50 / A992	1,200.00
10" x 8"	40	33.00	1,320.00	A36 / °50 / A992	1,320.00
	40	39.00	1,560.00	A36 / °50 / A992	1,560.00
	40	45.00	1,800.00	A36 / °50 / A992	1,800.00
10" x 10"	40	49.00	1,960.00	A36 / °50 / A992	1,960.00
	40	54.00	2,160.00	A36 / °50 / A992	2,160.00
	40	60.00	2,400.00	A36 / °50 / A992	2,400.00
	40	68.00	2,720.00	A36 / °50 / A992	2,720.00
	40	77.00	3,080.00	A36 / °50 / A992	3,080.00
	40	88.00	3,520.00	A36 / °50 / A992	3,520.00
	40	100.00	4,000.00	A36 / °50 / A992	4,000.00
	40	112.00	4,480.00	A36 / °50 / A992	4,480.00
12" x 4"	40	14.00	560.00	A36 / °50 / A992	560.00
	40	16.00	640.00	A36 / °50 / A992	640.00
	40	19.00	760.00	A36 / °50 / A992	760.00
	40	22.00	880.00	A36 / °50 / A992	880.00
12" x 6 1/2"	40	26.00	1,040.00	A36 / °50 / A992	1,040.00
	40	30.00	1,200.00	A36 / °50 / A992	1,200.00
	40	25.00	1,400.00	A36 / °50 / A992	1,400.00
12" x 8"	40	40.00	1,600.00	A36 / °50 / A992	1,600.00
	40	45.00	1,800.00	A36 / °50 / A992	1,800.00
	40	50.00	2,000.00	A36 / °50 / A992	2,000.00
12" x 10"	40	53.00	2,120.00	A36 / °50 / A992	2,120.00
	40	58.00	2,320.00	A36 / °50 / A992	2,320.00
12" x 12"	40	65.00	2,600.00	A36 / °50 / A992	2,600.00
	40	72.00	2,880.00	A36 / °50 / A992	2,880.00
	40	79.00	3,160.00	A36 / °50 / A992	3,160.00
	40	87.00	3,480.00	A36 / °50 / A992	3,480.00
	40	96.00	3,840.00	A36 / °50 / A992	3,840.00
	40	106.00	4,240.00	A36 / °50 / A992	4,240.00
	40	120.00	4,800.00	A36 / °50 / A992	4,800.00
	40	136.00	5,440.00	A36 / °50 / A992	5,440.00
	40	152.00	6,080.00	A36 / °50 / A992	6,080.00
	40	170.00	6,800.00	A36 / °50 / A992	6,800.00
14" x 5"	40	22.00	880.00	A36 / °50 / A992	880.00
	40	26.00	1,040.00	A36 / °50 / A992	1,040.00
14" x 6 3/4"	40	30.00	1,200.00	A36 / °50 / A992	1,200.00
	40	34.00	1,360.00	A36 / °50 / A992	1,360.00
	40	38.00	1,520.00	A36 / °50 / A992	1,520.00
14" x 8"	40	43.00	1,720.00	A36 / °50 / A992	1,720.00
	40	48.00	1,920.00	A36 / °50 / A992	1,920.00
	40	53.00	2,120.00	A36 / °50 / A992	2,120.00
14" x 10"	40	61.00	2,440.00	A36 / °50 / A992	2,440.00
	40	68.00	2,720.00	A36 / °50 / A992	2,720.00
	40	74.00	2,960.00	A36 / °50 / A992	2,960.00
	40	82.00	3,280.00	A36 / °50 / A992	3,280.00
14" x 14"	40	90.00	3,600.00	A36 / °50 / A992	3,600.00
	40	99.00	3,960.00	A36 / °50 / A992	3,960.00
	40	109.00	4,360.00	A36 / °50 / A992	4,360.00
	40	120.00	4,800.00	A36 / °50 / A992	4,800.00

WIDE FLANGE BEAM



Size	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm
14" x 14 1/2"	40	132.00	5,280.00	A36 / °50 / A992
16" x 5 1/2"	40	26.00	1,040.00	A36 / °50 / A992
	40	31.00	1,240.00	A36 / °50 / A992
16" x 7"	40	36.00	1,440.00	A36 / °50 / A992
	40	40.00	1,600.00	A36 / °50 / A992
	40	45.00	1,800.00	A36 / °50 / A992
	40	50.00	2,000.00	A36 / °50 / A992
	40	57.00	2,280.00	A36 / °50 / A992
16" x 10 1/4"	40	67.00	2,680.00	A36 / °50 / A992
	40	77.00	3,080.00	A36 / °50 / A992
	40	89.00	3,560.00	A36 / °50 / A992
	40	100.00	4,000.00	A36 / °50 / A992
18" x 6"	40	35.00	1,400.00	A36 / °50 / A992
	40	40.00	1,600.00	A36 / °50 / A992
	40	46.00	1,840.00	A36 / °50 / A992
18" x 7 1/2"	40	50.00	2,000.00	A36 / °50 / A992
	40	55.00	2,200.00	A36 / °50 / A992
	40	60.00	2,400.00	A36 / °50 / A992
	40	65.00	2,600.00	A36 / °50 / A992
	40	71.00	2,840.00	A36 / °50 / A992
18" x 11"	40	76.00	3,040.00	A36 / °50 / A992
	40	86.00	3,440.00	A36 / °50 / A992
	40	97.00	3,880.00	A36 / °50 / A992
	40	106.00	4,240.00	A36 / °50 / A992
	40	119.00	4,760.00	A36 / °50 / A992
	40	130.00	5,200.00	A36 / °50 / A992
	40	143.00	5,720.00	A36 / °50 / A992
	40	158.00	6,320.00	A36 / °50 / A992
21" x 6 1/2"	40	44.00	1,760.00	A36 / °50 / A992
	40	50.00	2,000.00	A36 / °50 / A992
	40	57.00	2,280.00	A36 / °50 / A992
21" x 8 1/4"	40	48.00	1,920.00	A36 / °50 / A992
	40	62.00	2,480.00	A36 / °50 / A992
	40	68.00	2,720.00	A36 / °50 / A992
	40	73.00	2,920.00	A36 / °50 / A992
	40	83.00	3,320.00	A36 / °50 / A992
	40	93.00	3,720.00	A36 / °50 / A992
21" x 12 1/4"	40	101.00	4,040.00	A36 / °50 / A992
	40	111.00	4,440.00	A36 / °50 / A992
	40	122.00	4,880.00	A36 / °50 / A992
	40	132.00	5,280.00	A36 / °50 / A992
	40	147.00	5,880.00	A36 / °50 / A992
24" x 7"	40	55.00	2,200.00	A36 / °50 / A992
	40	62.00	2,480.00	A36 / °50 / A992
24" x 9"	40	68.00	2,720.00	A36 / °50 / A992
	40	76.00	3,040.00	A36 / °50 / A992
	40	84.00	3,360.00	A36 / °50 / A992
24" x 12 3/4"	40	104.00	4,160.00	A36 / °50 / A992
	40	131.00	5,240.00	A36 / °50 / A992
	40	146.00	5,840.00	A36 / °50 / A992
	40	162.00	6,480.00	A36 / °50 / A992
	40	192.00	7,680.00	A36 / °50 / A992


C- CHANNEL

Size	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm	Pieces per Bundle	Weight per Bundle
3"	20	3.50	70.00	A36	64	4,480
	40	3.50	140.00	A36	64	8,960
	20	4.10	82.00	A36	56	4,592
	40	4.10	164.00	A36	56	9,184
4"	20	4.50	90.00	A36	54	4,860
	40	4.50	180.00	A36	54	9,720
	20	5.40	108.00	A36	42	4,536
	40	5.40	216.00	A36	42	9,072
5"	20	6.70	134.00	A36	1	134
	40	6.70	268.00	A36	1	268
6"	20	8.20	164.00	A36	28	4,592
	40	8.20	328.00	A36	28	9,184
	20	10.50	210.00	A36	20	4,200
	40	10.50	420.00	A36	20	8,400
	20	13.00	260.00	A36	16	4,160
	40	13.00	520.00	A36	16	8,320
8"	20	11.50	230.00	A36	20	4,600
	40	11.50	460.00	A36	20	9,200
	20	13.75	275.00	A36	16	4,400
	40	13.75	550.00	A36	16	8,800
	20	18.75	375.00	A36	12	4,500
	40	18.75	750.00	A36	12	9,000
10"	20	15.30	306.00	A36	1	306
	40	15.30	612.00	A36	1	612
	20	20.00	400.00	A36	1	400
	40	20.00	800.00	A36	1	800
	20	25.00	500.00	A36	1	500
	40	25.00	1,000.00	A36	1	1,000
	20	30.00	600.00	A36	1	600
	40	30.00	1,200.00	A36	1	1,200





PUR "Z"




Size	Dimensions	Gauge	Thickness	Stock			Length (m)	Kg / m
				CO	AR	GVZ		
6" Cal 12	6" x 2" x 0.75"	12	0.105"	*	*	*	Especial	5.86
6" Cal 14	6" x 2" x 0.75"	14	0.075"	*	*	*	Especial	4.19
8" Cal 12	8" x 2.75" x 0.75"	12	0.105"	*	*	*	Especial	7.96
8" Cal 14	8" x 2.75" x 0.75"	14	0.075"	*	*	*	Especial	5.70
8" Cal 14	8" x 3" x 0.75"	14	0.075"	*	*	*	Especial	5.88
10" Cal 12	10" x 2.75" x 0.75"	12	0.105"	*	*	*	Especial	9.06
10" Cal 14	10" x 2.75" x 0.75"	14	0.075"	*	*	*	Especial	6.49
10" Cal 14	10" x 3.5" x 0.75"	14	0.075"	*	*	*	Especial	6.85
12" Cal 12	12" x 3.5" x 1"	12	0.105"	*	*	*	Especial	10.99
12" Cal 14	12" x 3.5" x 1"	14	0.075"	*	*	*	Especial	7.87
14" Cal 12	14" x 3.5" x 1"	12	0.105"	*	*	*	Especial	12.10
14" Cal 14	14" x 3.5" x 1"	14	0.075"	*	*	*	Especial	8.70

CO	Commercial Quality
AR	High Resistance
GVZ	Galvanized
*	Special Order / Made to Order

▲ All 'Z' purlins are made to order.

Size	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm	Weight per Bundle
1/8" x 3' x 10'	10	18.52	185.19	A36/ A1011CS	185.19
1/8" x 3' x 8'	8	18.52	148.15	A36/ A1011CS	148.15
1/8" x 4' x 10'	10	22.60	225.97	A36/ A1011CS	225.97
1/8" x 4' x 8'	8	24.69	197.53	A36/ A1011CS	197.53
3/16" x 3' x 10'	10	26.01	260.15	A36/ A1011CS	260.15
3/16" x 3' x 8'	8	26.01	208.12	A36/ A1011CS	208.12
3/16" x 4' x 10'	10	34.83	348.33	A36/ A1011CS	348.33
3/16" x 4' x 8'	8	34.83	278.66	A36/ A1011CS	278.66
1/4" x 3' x 10'	10	33.73	337.31	A36/ A1011CS	337.31
1/4" x 3' x 8'	8	33.73	269.85	A36/ A1011CS	269.85
1/4" x 4' x 10'	10	44.97	449.74	A36/ A1011CS	449.74
1/4" x 4' x 8'	8	44.97	359.79	A36/ A1011CS	359.79
3/8" x 4' x 10'	10	65.48	654.77	A36/ A1011CS	654.77
12 GA 3' x 10'	10	15.65	156.53	A36/ A1011CS	156.53
12 GA 3' x 8'	8	15.65	125.22	A36/ A1011CS	125.22
12 GA 4' x 10'	10	20.94	209.44	A36/ A1011CS	209.44
12 GA 4' x 8'	8	20.94	167.55	A36/ A1011CS	167.55
14 GA 3' x 10'	10	11.24	112.44	A36/ A1011CS	112.44
14 GA 3' x 8'	8	11.24	89.95	A36/ A1011CS	89.95
14 GA 4' x 10'	10	13.87	138.67	A36/ A1011CS	138.67
14 GA 4' x 8'	8	14.33	114.64	A36/ A1011CS	114.64
16 GA 4' x 10'	10	11.90	119.05	A36/ A1011CS	119.05

FLOOR PLATES



Size	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm	Weight per Bundle
3/4" x 3'	10	95.40	954.04	A36	954.04
	6	95.40	572.42	A36	572.42
	8	95.40	763.23	A36	763.23
3/4" x 4'	10	126.77	1,267.69	A36	1,267.69
	8	126.77	1,014.15	A36	1,014.15
1" x 3'	10	126.79	1,267.86	A36	1,267.86
1" x 3' x 8'	8	126.79	1,014.29	A36	1,014.29
1" x 4'	10	168.47	1,684.70	A36	1,684.70
	8	168.47	1,347.76	A36	1,347.76
3/8" x 6'	40	96.00	3,839.87	A36	3,839.87
5/16" x 6'	20	81.54	1,630.70	A36	1,630.70
5/16" x 8'	20	108.53	2,170.52	A36	2,170.52
3/8" x 6'	40	96.00	3,839.87	A36	3,839.87
3/8" x 8'	40	127.78	5,111.01	A36	5,111.01
7/16" x 6'	20	111.46	2,229.12	A36	2,229.12
1/2" x 6'	20	127.16	2,543.29	A36	2,543.29
1/2" x 8'	20	169.26	3,385.21	A36	3,385.21
5/8" x 8'	20	210.75	4,214.92	A36	4,214.92
3/4" x 6'	20	189.50	3,790.01	A36	3,790.01
3/4" x 8'	20	252.23	5,044.63	A36	5,044.63
	40	252.23	10,089.26	A36	10,089.26
7/8" x 6'	20	220.67	4,413.36	A36	4,413.36
7/8" x 8'	20	293.72	5,874.34	A36	5,874.34
1" x 4'	10	168.47	1,684.70	A36	1,684.70
1" x 6'	20	251.84	5,036.72	A36	5,036.72
	40	251.84	10,073.44	A36	10,073.44
1" x 8'	20	335.20	6,704.05	A36	6,704.05
	40	335.20	13,408.09	A36	13,408.09
1 1/8" x 6'	20	283.00	5,660.08	A36	5,660.08
1 1/8" x 8'	20	376.69	7,533.76	A36	7,533.76
1 1/4" x 4'	10	210.17	2,101.70	A36	2,101.70
1 1/4" x 6'	10	314.17	3,141.72	A36	3,141.72
	20	314.17	6,283.43	A36	6,283.43
	40	314.17	12,566.86	A36	12,566.86
1 1/4" x 8'	20	418.17	8,363.46	A36	8,363.46
	40	418.17	16,726.93	A36	16,726.93
1 5/8" x 8'	20	210.75	4,214.92	A36	4,214.92
1 3/4" x 6'	20	438.84	8,776.86	A36	8,776.86
1 3/4" x 8'	20	584.11	11,682.30	A36	11,682.30
2" x 6'	20	501.18	10,023.57	A36	10,023.57
2" x 8'	20	667.09	13,341.72	A36	13,341.72
2 1/4" x 6'	20	563.51	11,270.28	A36	11,270.28
2 1/4" x 8'	20	750.06	15,001.13	A36	15,001.13
2 1/2" x 6'	10	625.85	6,258.50	A36	6,258.50
	20	625.85	12,516.99	A36	12,516.99
2 1/2" x 8'	20	833.03	16,660.55	A36	16,660.55
2 3/4" x 8'	20	916.00	18,319.97	A36	18,319.97
3" x 6'	10	750.52	7,505.21	A36	7,505.21
	20	750.52	15,010.42	A36	15,010.42

STEEL
PLATES



Size	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm	Weight per Bundle
3" x 8'	20	998.97	19,979.39	A36	19,979.39
3 1/4" x 8'	20	1,081.94	21,638.80	A36	21,638.80
3 1/2" x 8'	20	1,164.91	23,298.22	A36	23,298.22
1/4" x 6' x 20'	20	66.08	1,321.52	A572°50	1,321.52
1/4" x 8' x 20'	20	87.95	1,758.98	A572°50	1,758.98
5/16" x 6'	20	81.54	1,630.70	A572°50	1,630.70
5/16" x 8'	20	108.53	2,170.52	A572°50	2,170.52
3/8" x 10'	40	159.55	6,382.14	A572°50	6,382.14
3/8" x 6'	20	96.00	1,919.94	A572°50	1,919.94
3/8" x 8'	20 40	127.78 127.78	2,555.50 5,111.01	A572°50 A572°50	2,555.50 5,111.01
1/2" x 6'	20 40	127.16 127.16	2,543.29 5,086.59	A572°50 A572°50	2,543.29 5,086.59
1/2" x 8'	20 40	169.16 169.26	3,385.21 6,770.42	A572°50 A572°50	3,385.21 6,770.42
5/8" x 6'	20	158.33	3,166.65	A572°50	3,166.65
5/8" x 8'	40	210.75	8,429.84	A572°50	8,429.84
3/4" x 10'	40	314.96	12,598.50	A572°50	12,598.50
3/4" x 6'	20 40	189.50 189.50	3,790.01 7,580.01	A572°50 A572°50	3,790.01 7,580.01
3/4" x 8'	20	252.23	5,044.63	A572°50	5,044.63
7/8" x 6'	20	220.67	4,413.36	A572°50	4,413.36
7/8" x 8'	20	293.72	5,874.34	A572°50	5,874.34
1 1/8" x 6'	20	283.00	5,660.08	A572°50	5,660.08
1 1/4" x 6'	20	314.17	6,283.43	A572°50	6,283.43
1 1/4" x 8'	20 40	418.17 418.17	8,363.46 16,726.93	A572°50 A572°50	8,363.46 16,726.93
1 3/8" x 8'	20	127.78	2,555.50	A572°50	2,555.50
1 1/2" x 6'	20	376.51	7,530.14	A572°50	7,530.14
1 1/2" x 8'	20	501.14	10,022.88	A572°50	10,022.88
1 3/4" x 6'	20	438.84	8,776.86	A572°50	8,776.86
1 3/4" x 8'	20	584.11	11,682.30	A572°50	11,682.30
1" x 6'	20 40	251.84 251.84	5,036.72 10,073.44	A572°50 A572°50	5,036.72 10,073.44
1" x 8'	20	335.20	6,704.05	A572°50	6,704.05
2" x 6'	20	501.18	10,023.57	A572°50	10,023.57
2" x 8'	20 40	667.09 667.09	13,341.72 26,683.43	A572°50 A285°C	13,341.72 26,683.43
2.5" x 8'	20	833.03	16,660.55	A285°C	16,660.55
3" x 6'	20	750.52	15,010.42	A285°C	15,010.42
3/8" x 8'	20	127.78	2,555.50	A285°C	2,555.50
1/2" x 8'	20	169.26	3,385.21	A285°C	3,385.21
5/8" x 8'	20	210.75	4,214.92	A285°C	4,214.92
3/4" x 6'	20	189.50	3,790.01	A285°C	3,790.01
1" x 8'	20	293.72	5,874.34	A285°C	5,874.34
7/8" x 8'	20	335.20	6,704.05	A516°70	6,704.05
1" x 8'	20	335.20	6,704.05	A516°70	6,704.05
1 1/4" x 8'	20	418.17	8,363.46	A516°70	8,363.46
1 1/2" x 8'	20	169.26	3,385.21	A516°70	3,385.21
1 1/4" x 6'	20	314.17	6,283.43	SAE1045	6,283.43
1 1/4" x 8'	20	438.84	8,776.86	SAE1045	8,776.86

HOT ROLLED PICKLED SHEET

Size	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm	Weight per Bundle
3/16" x 4'	10	36.20	362.00	SAE1010	362.00
1/4" x 4'	10	46.70	467.05	SAE1010	467.05
10 GA 4'	10	22.59	225.92	SAE1010	225.92
11 GA 4'	10	20.13	201.26	SAE1010	201.26
12 GA 4'	10	17.64	176.44	SAE1010	176.44
13 GA 4'	10	15.18	151.77	SAE1010	151.77
14 GA 4'	10	12.69	126.95	SAE1010	126.95
16 GA 4'	10	10.23	102.29	SAE1010	102.29

HOT ROLLED SHEET

Size	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm	Weight per Bundle
8 GA 4' x 10'	24	11.48	275.41	A36/ A1011CS	275.41
9 GA 4' x 10'	10	25.08	250.75	A36/ A1011CS	250.75
10 GA 3' x 10'	10	16.96	169.59	A36/ A1011CS	169.59
10 GA 3' x 8'	8	16.96	135.67	A36/ A1011CS	135.67
10 GA 4' x 10'	10	22.59	225.92	A36/ A1011CS	225.92
10 GA 4' x 8'	8	22.59	180.74	A36/ A1011CS	180.74
10 GA 5' x 10'	10	28.23	282.26	A36/ A1011CS	282.26
11 GA 3' x 10'	10	15.11	151.08	A36/ A1011CS	151.08
11 GA 3' x 8'	8	15.11	120.86	A36/ A1011CS	120.86
11 GA 4' x 10'	10	20.13	201.26	A36/ A1011CS	201.26
11 GA 4' x 8'	8	20.13	161.01	A36/ A1011CS	161.01
11 GA 5' x 10'	10	25.14	251.45	A36/ A1011CS	251.45
12 GA 3' x 10'	10	13.24	132.44	A36/ A1011CS	132.44
12 GA 3' x 8'	8	13.24	105.95	A36/ A1011CS	105.95
12 GA 4' x 10'	10	17.64	176.44	A36/ A1011CS	176.44
12 GA 4' x 8'	8	17.64	141.15	A36/ A1011CS	141.15
13 GA 3' x 10'	10	11.39	113.93	A36/ A1011CS	113.93
13 GA 4' x 10'	10	15.18	151.77	A36/ A1011CS	151.77
14 GA 3' x 10'	10	9.53	95.29	A36/ A1011CS	95.29
14 GA 3' x 8'	8	9.53	76.23	A36/ A1011CS	76.23
14 GA 4' x 10'	10	12.69	126.95	A36/ A1011CS	126.95
14 GA 4' x 8'	8	12.69	101.56	A36/ A1011CS	101.56
16 GA 4' x 10'	10	10.23	102.29	A36/ A1011CS	102.29
16 GA 4' x 8'	8	10.23	81.83	A36/ A1011CS	81.83
18 GA 4' x 10'	10	8.24	82.40	A36/ A1011CS	82.40
18 GA 4' x 8'	8	8.24	65.92	A36/ A1011CS	65.92

COLD ROLLED SHEET

Size	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm	Weight per Bundle
16 GA 3' x 10'	10	7.68	76.78	A36 / A1008 CS	76.78
16 GA 3' x 8'	8	7.68	61.42	A36 / A1008 CS	61.42
16 GA 4' x 10'	10	10.23	102.29	A36 / A1008 CS	102.29
16 GA 4' x 8'	8	10.23	81.83	A36 / A1008 CS	81.83
18 GA 3' x 10'	10	6.19	61.87	A36 / A1008 CS	61.87
18 GA 3' x 8'	8	6.19	49.50	A36 / A1008 CS	49.50
18 GA 4' x 10'	10	8.24	82.42	A36 / A1008 CS	82.42
18 GA 4' x 8'	8	8.24	65.94	A36 / A1008 CS	65.94
20 GA 3' x 10'	10	4.71	47.09	A36 / A1008 CS	47.09
20 GA 3' x 8'	8	4.71	37.67	A36 / A1008 CS	37.67
20 GA 4' x 10'	10	6.27	62.73	A36 / A1008 CS	62.73
20 GA 4' x 8'	8	6.27	50.18	A36 / A1008 CS	50.18
22 GA 3' x 10'	10	3.96	39.63	A36 / A1008 CS	39.63
22 GA 3' x 8'	8	3.96	31.71	A36 / A1008 CS	31.71
22 GA 4' x 10'	10	5.28	52.80	A36 / A1008 CS	52.80
24 GA 3' x 10'	10	3.22	32.18	A36 / A1008 CS	32.18
24 GA 3' x 8'	8	3.22	25.74	A36 / A1008 CS	25.74
24 GA 4' x 10'	10	4.29	42.87	A36 / A1008 CS	42.87
26 GA 3' x 10'	10	2.47	24.72	A36 / A1008 CS	24.72



TEMPER
PLATES


Size	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm	Weight per Bundle
3/16" x 4'	20	31.69	633.85	A36	633.85
3/16" x 5'	20	39.53	790.67	A36	790.67
3/16" x 6'	20	47.38	947.50	A36	947.50
1/4" x 5'	20	52.64	1,052.84	A36	1,052.84
1/4" x 6'	20	63.08	1,261.67	A36	1,261.67
1/4" x 8'	20	83.97	1,679.33	A36	1,679.33
5/16" x 4'	20	52.54	1,050.85	A36	1,050.85
5/16" x 5'	20	65.54	1,310.85	A36	1,310.85
5/16" x 6'	20	78.54	1,570.86	A36	1,570.86
5/16" x 8'	20	104.54	2,090.87	A36	2,090.87
3/8" x 4'	20	63.05	1,261.02	A36	1,261.02
3/8" x 5'	20	78.65	1,573.02	A36	1,573.02
3/8" x 6'	20	94.25	1,885.03	A36	1,885.03
3/8" x 6'	40	94.25	3,770.06	A36	3,770.06
3/8" x 8'	20	125.45	2,509.04	A36	2,509.04
3/8" x 8'	40	125.45	5,018.08	A36	5,018.08
7/16" x 6'	20	109.71	2,194.21	A36	2,194.21
9/16" x 6'	20	140.88	2,817.57	A36	2,817.57
1/2" x 4'	20	83.90	1,678.02	A36	1,678.02
1/2" x 5'	20	104.66	2,093.20	A36	2,093.20
1/2" x 6'	20	125.42	2,508.39	A36	2,508.39
1/2" x 6'	40	125.42	5,016.77	A36	5,016.77
1/2" x 8'	20	166.94	3,338.75	A36	3,338.75
1/2" x 8'	40	166.94	6,677.50	A36	6,677.50
5/8" x 4'	20	104.75	1,047.51	A36	1,047.51
5/8" x 4'	40	104.75	2,095.03	A36	2,095.03
5/8" x 5'	20	130.67	2,613.38	A36	2,613.38
5/8" x 6'	20	156.59	3,131.74	A36	3,131.74
5/8" x 6'	40	156.59	6,263.48	A36	6,263.48
5/8" x 8'	20	208.42	4,168.46	A36	4,168.46
5/8" x 8'	40	208.42	8,336.91	A36	8,336.91
3/4" x 4'	20	125.60	1,256.02	A36	1,256.02
3/4" x 4'	40	125.60	2,512.03	A36	2,512.03
3/4" x 5'	20	156.68	3,133.56	A36	3,133.56
3/4" x 6'	20	187.75	3,755.10	A36	3,755.10
3/4" x 6'	40	187.75	7,510.20	A36	7,510.20

TEMPER PLATES

Size	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm	Weight per Bundle
3/4" x 8'	20	249.91	4,998.17	A36	4,998.17
3/4" x 8'	40	249.91	9,996.33	A572°50	9,996.33
3/16" x 4'	20	31.69	633.85	A572°50	633.85
3/16" x 5'	20	39.53	790.67	A572°50	790.67
3/16" x 6'	20	47.38	947.50	A572°50	947.50
1/4" x 4'	20	42.20	844.02	A572°50	844.02
1/4" x 5'	20	52.64	1,052.84	A572°50	1,052.84
1/4" x 6'	20	63.08	1,261.67	A572°50	1,261.67
1/4" x 8'	20	83.97	1,679.33	A572°50	1,679.33
5/16" x 4'	20	52.54	1,050.85	A572°50	1,050.85
5/16" x 5'	20	65.54	1,310.85	A572°50	1,310.85
5/16" x 6'	20	78.54	1,570.86	A572°50	1,570.86
5/16" x 8'	20	104.54	2,090.87	A572°50	2,090.87
3/8" x 4'	20	63.05	1,261.02	A572°50	1,261.02
3/8" x 5'	20	78.65	1,573.02	A572°50	1,573.02
3/8" x 6'	20	94.25	1,885.03	A572°50	1,885.03
3/8" x 6'	20	94.25	3,770.06	A572°50	3,770.06
3/8" x 8'	40	125.45	2,509.04	A572°50	2,509.04
3/8" x 8'	20	125.45	5,018.08	A572°50	5,018.08
1/2" x 4'	40	83.90	1,678.02	A572°50	1,678.02
1/2" x 5'	20	104.66	2,093.20	A572°50	2,093.20
1/2" x 6'	20	125.42	2,508.39	A572°50	2,508.39
1/2" x 6'	40	125.42	5,016.77	A572°50	5,016.77
1/2" x 8'	20	166.94	3,338.75	A572°50	3,338.75
1/2" x 8'	40	166.94	6,677.50	A572°50	6,677.50
5/8" x 5'	20	130.67	2,613.38	A572°50	2,613.38
5/8" x 6'	20	156.59	3,131.74	A572°50	3,131.74
5/8" x 6'	40	156.59	6,263.48	A572°50	6,263.48
5/8" x 8'	20	208.42	4,168.46	A572°50	4,168.46
5/8" x 8'	40	208.42	8,336.91	A572°50	8,336.91
3/4" x 5'	20	156.68	3,133.56	A572°50	3,133.56
3/4" x 6'	20	187.75	3,755.10	A572°50	3,755.10
3/4" x 6'	40	187.75	7,510.20	A572°50	7,510.20
3/4" x 8'	20	249.91	4,998.17	A572°50	4,998.17
3/4" x 8'	40	249.91	9,996.33	A572°50	9,996.33


Size	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm	Weight per Bundle
3/16" x 3'	10	23.85	238.51	A36	238.51
5/16" x 3'	10	39.54	395.42	A36	395.42
5/16" x 4'	10	52.54	525.42	A36	525.42
3/8" x 3'	10	47.45	474.51	A36	474.51
1/2" x 4'	10	83.90	839.01	A36	839.01
5/8" x 3'	10	78.83	788.34	A36	788.34
5/8" x 4'	10	104.75	1,047.51	A36	1,047.51
3/4" x 3'	10	94.52	945.25	A36	945.25
3/16" x 3'	10	23.85	238.51	A36	238.51
3/16" x 3'	6	23.85	143.11	A36	143.11
3/16" x 3'	8	23.85	190.81	A36	190.81
3/16" x 4'	10	31.69	316.92	A36	316.92
3/16" x 4'	20	31.69	633.85	A36	633.85
3/16" x 4'	8	31.69	253.54	A36	253.54
3/16" x 5'	10	39.53	395.34	A36	395.34
3/16" x 5'	20	39.53	790.67	A36	790.67
3/16"	10	47.38	473.75	A36	473.75
1/4" x 3'	10	31.76	317.59	A36	317.59
1/4" x 3'	6	31.76	190.56	A36	190.56
1/4" x 3'	8	31.76	254.07	A36	254.07
1/4" x 4'	8	42.20	337.61	A36	337.61
1/4" x 4'	10	42.20	422.01	A36	422.01
1/4" x 5'	10	52.64	526.42	A36	526.42
1/4" x 5'	20	52.64	1,052.84	A36	1,052.84
1/4"	10	63.08	630.84	A36	630.84
5/16" x 3'	10	39.54	395.42	A36	395.42
5/16" x 4'	10	52.54	525.42	A36	525.42
5/16" x 4'	20	52.54	1,050.85	A36	1,050.85
5/16" x 5'	10	65.54	655.43	A36	655.43
5/16" x 5'	20	65.54	1,310.85	A36	1,310.85
5/16" x 6'	20	78.54	1,570.86	A36	1,570.86
3/8" x 3'	10	47.45	474.51	A36	474.51
3/8" x 3'	8	47.45	379.61	A36	379.61
3/8" x 4'	10	63.05	630.51	A36	630.51
3/8" x 4'	20	63.05	1,261.02	A36	1,261.02
3/8" x 4'	8	63.05	504.41	A36	504.41
3/8" x 5'	10	78.65	786.51	A36	786.51
3/8" x 5'	20	78.65	1,573.02	A36	1,573.02
3/8" x 6'	20	94.25	1,885.03	A36	1,885.03

Size	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm	Weight per Bundle
1/2" x 3'	10	63.14	631.42	A36	631.42
1/2" x 3'	8	63.14	505.14	A36	505.14
1/2" x 4'	10	83.90	839.01	A36	839.01
1/2" x 4'	20	83.90	1,678.02	A36	1,678.02
1/2" x 4'	8	83.90	671.21	A36	671.21
1/2" x 5'	10	104.66	1,046.60	A36	1,046.60
1/2" x 5'	20	104.66	2,093.20	A36	2,093.20
1/2" x 6'	20	125.42	2,508.39	A36	2,508.39
5/8" x 3'	10	78.83	788.34	A36	788.34
5/8" x 4'	10	104.75	1,047.51	A36	1,047.51
5/8" x 5'	20	130.67	2,613.38	A36	2,613.38
5/8" x 6'	20	156.59	3,131.74	A36	3,131.74
3/4" x 6'	20	187.75	3,755.10	A36	3,755.10
3/16" x 4'	10	31.69	316.92	A572°50	316.92
3/16" x 6'	20	47.38	947.50	A572°50	947.50
1/4" x 4'	10	42.20	422.01	A572°50	422.01
1/4" x 6'	20	63.08	1,261.67	A572°50	1,261.67
5/16" x 5'	10	65.54	655.43	A572°50	655.43
5/16" x 6'	20	78.54	1,570.86	A572°50	1,570.86
3/8" x 4'	10	63.05	630.51	A572°50	630.51
3/8" x 6'	20	94.25	1,885.03	A572°50	1,885.03
1/2" x 6'	20	125.42	2,508.39	A572°50	2,508.39
5/8" x 6'	20	156.59	3,131.74	A572°50	3,131.74



DECOILED PLATE

GALVANIZED / DECK



GALVANIZED SHEET

Size	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm	Weight per Bundle
14 GA 3' x 10'	10	9.07	90.72	A36/ A1011CS	90.72
14 GA 4' x 8'	10	12.09	120.94	A36/ A1011CS	120.94
16 GA 3' x 10'	10	7.28	72.84	A36/ A1011CS	72.84
16 GA 4' x 10'	10	9.80	98.01	A36/ A1011CS	98.01
18 GA 3' x 10'	10	5.84	58.44	A36/ A1011CS	58.44
18 GA 3' x 10'	10	7.79	77.91	A36/ A1011CS	77.91
20 GA 3' x 10'	10	4.42	44.18	A36/ A1011CS	44.18
20 GA 4' x 10'	10	5.89	58.90	A36/ A1011CS	58.90
22 GA 3' x 10'	10	3.64	36.44	A36/ A1011CS	36.44
22 GA 4' x 10'	10	4.86	48.61	A36/ A1011CS	48.61
24 GA 3' x 10'	10	2.59	25.90	A36/ A1011CS	25.90
24 GA 4' x 10'	10	3.46	34.63	A36/ A1011CS	34.63
26 GA 3' x 10'	10	2.25	22.46	A36/ A1011CS	22.46
26 GA 4' x 10'	10	3.00	29.98	A36/ A1011CS	29.98

FORTADECK

Size	Length	Weight Lbs/ft	Weight per Piece (Lbs)	Norm	Weight per Bundle
25 GA 18 3' x 20'	20	8.08	161.64	A36/ A1011CS	161.64
25 GA 20 3' x 20'	20	6.16	123.28	A36/ A1011CS	123.28
25 GA 22 3' x 20'	20	5.13	102.50	A36/ A1011CS	102.50
25 GA 24 3' x 20'	20	3.77	75.30	A36/ A1011CS	75.30

STEEL DECKS


Description	Size	Gauge	Thickness	Stock		Width (m)	Length(m)	Kg / m
				GV	PR			
147-A	3' x 3'	20	0.036"		●	0.91	0.85	6.53
	3' x 6'	22	0.030"	◆		0.91	1.76	5.45
	3' x 8'	20	0.036"		●	0.91	2.36	6.53
		20	0.036"	◆		0.91	2.36	6.53
	3' x 10'	22	0.030"		●	0.91	2.80	5.45
		22	0.030"	◆		0.91	2.80	5.45
147-L	3' x 3'	20	0.036"	◆	●	0.85	0.91	6.53
		20	0.036"			0.85	0.91	6.53
		22	0.030"		●	0.85	0.91	5.45
		22	0.030"	◆		0.85	0.91	5.45
	3' x 6'	20	0.036"		●	0.85	1.83	6.53
		22	0.030"		●	0.85	1.83	5.45
	3' x 8'	20	0.036"		●	0.85	2.44	6.53
	3' x 10'	20	0.036"		●	0.85	3.05	6.53
		22	0.030"		●	0.85	3.05	5.45
147-LC	3' x 3'	20	0.036"		●	0.84	0.91	6.53
		20	0.036"	◆		0.84	0.91	6.53
		22	0.030"	◆		0.84	0.91	5.45
	3' x 6'	20	0.036"		●	0.84	1.83	6.53
		22	0.030"	◆		0.84	1.83	5.45
	3' x 8'	20	0.036"		●	0.84	2.44	6.53
	3' x 10'	20	0.036"		●	0.84	3.05	6.53
		20	0.036"	◆		0.84	3.05	6.53
		22	0.030"	◆		0.84	3.05	5.45

▲ Bundles include 50 pieces each



▲ Length and width dimension are based on the sheet before being pressed.

● PR | Red paint
◆ GV | Green galvanized





Description	Size	Gauge	Thickness	Stock		Width (m)	Length(m)	Kg / m
				GV	PR			
148-LC	3' x 3'	20	0.036"	◆	●	0.77	0.91	6.53
		20	0.036"	◆	●	0.77	0.91	6.53
		22	0.030"	◆	●	0.77	0.91	5.45
	3' x 4'	20	0.036"		●	0.77	1.22	6.53
	3' x 6'	20	0.036"	◆	●	0.77	1.83	6.53
		20	0.036"	◆	●	0.77	1.83	6.53
		22	0.030"	◆	●	0.77	1.83	5.45
	3' x 7'	20	0.036"		●	0.77	2.13	6.53
	3' x '8'	20	0.036"		●	0.77	2.44	6.53
	3' x 10'	20	0.036"		●	0.77	3.05	6.53
		20	0.036"	◆	●	0.77	3.05	6.53
	4' x 3'	20	0.036"		●	1.03	0.91	8.73
149-A	3' x 8'	20	0.036"		●	0.91	2.27	6.53
		22	0.030"		●	0.91	2.27	5.45
149-L	3' x 3'	20	0.036"	◆	●	0.86	0.91	6.53
		20	0.036"	◆	●	0.86	0.91	6.53
		20	0.036"	◆	●	0.86	0.91	5.45
	3' x 6'	20	0.036"	◆	●	0.86	1.83	6.53
		20	0.036"	◆	●	0.86	1.83	6.53
		20	0.036"	◆	●	0.86	1.83	5.45
		20	0.036"	◆	●	0.86	1.83	5.45
	3' x 8'	20	0.036"	◆	●	0.86	2.44	6.53
		20	0.036"	◆	●	0.86	2.44	6.53
		20	0.036"	◆	●	0.86	2.44	5.45
		20	0.036"	◆	●	0.86	2.44	5.45
	3' x 10'	20	0.036"	◆	●	0.86	3.05	6.53
		20	0.036"	◆	●	0.86	3.05	5.45
149-LC	3' x 3'	20	0.036"		●	0.81	0.91	6.53
	3' x 6'	20	0.036"		●	0.81	1.83	6.53
	3' x 8'	20	0.036"		●	0.81	1.95	6.53
	3' x 10'	20	0.036"		●	0.81	2.44	6.53




R-101 / O-100 / RN-100/35

Thickness			Weight per Sheet (Kg/Pc)									Weight
Calibre	Pulgada	mm	4' x 8'	4' x 10'	4' x 12'	4' x 14'	4' x 16'	4' x 18'	4' x 20'	4' x 22'	4' x 24'	Kg / ml
22	0.031	0.78	18.6	23.2	27.8	32.5	37.2	41.8	46.4	51.1	55.7	7.62
24	0.022	0.55	13.2	16.5	19.8	23.1	26.4	29.7	33.0	36.3	39.6	5.42
26	0.019	0.48	11.4	14.3	17.1	20.0	22.9	25.7	28.6	31.4	34.3	4.69
28	0.016	0.40	9.7	12.0	14.5	16.9	19.3	21.7	24.1	26.5	28.9	3.96




Galvanized Coating G60, Zintroalum, and Painted. 3/4 ASTM Tolerance. Theoretical weight +/- 7%.



STEEL BAR GRATING

Flat Size In — mm	Weight Lbs/ft	Clear Span for Human Load Factor ft	Clear Span for Heavier Load Factor ft)
1/8 x 1 — 3.2 x 25.4	17.13	1.29	
1/8 x 1 1/4 — 3.2 x 31.7	20.73	1.63	
3/16 x 1 — 4.8 x 25.4	24.39	1.50	0.20
3/16 x 1 1/4 — 4.8 x 31.7	29.87	1.70	0.25

We manufacture it in 1x6mts smooth and black steel



List Of Services



LASER CUT

Precision cutting for any form or figure, up to 1" thick and lengths up to 10' x 20'




PLASMA CUT

High-precision cutting for any design, form, or figure, up to 2" thick and lengths up to 10' x 80'.




PANTOGRAPHS

Cuts strips, discs, rings, and custom shapes, up to 6" thick and lengths up to 8' x 40'.




METAL SHEARING

Cut strips and squares.
Up to 5/8" x 20'.



SLITTER

Cuts strip from coil up to 0.280" x .75", with coils up to 36 tons.



TUBING

We manufacture Square and Rectangular Tubing from 1/2" x 1/2" up to 5" x 5" or 6" x 4", with thicknesses from gauge 20 up to 1/4"



PURLING

We manufacture 'C' and 'Z' purlins in gauges 10, 12, and 14, from 3" to 14", and lengths up to 14 meters



SLITTER

Fabrication of flat bars in different sizes and custom lengths



METAL BANDSAW

Cuts structural materials to custom lengths up to 28" x 20"



Temper Mill




Storage Space



Fortadeck Roller Machine



Plasma



FORTACERO



Best Inventory



Pipe and RHS Plant



Sales Team
email
expo.usa@fortacero.com

MONTERREY

Blvd. Carlos Salinas de Gortari Km 8.8
Apodaca, N.L. CP 66600
Tel. +52 (81) 8156-5200
E-mail. fortaceromty@fortacero.com

TIJUANA

Calle de Acceso 8080,
Col. El Tecolote, Tijuana, BC. CP 22644
Tel. +52 (664) 66-0100 / 01
E-mail: fortacerotij@fortacero.com



The Best Inventory...On Time.

 /FortaceroMX

 @fortacero

 /Fortacero

FORTACERO